



# RAWFILL WP I1 I1.4.2 As-built document, works report

Date: October, 2020



















SUBJ	ECT: WP I	1 - I1.4.2 As-built docume	nt, works report			
$\boxtimes$	report	information	cons	sideration		decision
To:			From:	OVAM		
Tab	le of cont	tents				
Intro	duction					3
Desc	ription of 1	the activities	•••••			3
Repa	aration of t	the geomembrane at	the location o	of two bore	eholes -	9/04/20193
Sum	mary of wa	aste sampling (trench	nes) and waste	character	rization	activities 5
1.	Location o	of the trenches				5
2.	Action plar	n for the trenches				6
3.	Post samp	oling activities				7
Арре	endix 1 Rep	port of ABO				8
Appe	endix 2 Rep	ported weights				10



#### Introduction

In this report, the restoration works performed on the Meerhout landfill site in April 2019 are presented. These actions consisted of:

- 1. the reparation of the geomembrane (HDPE-liner) on the southern part of the landfill (where two boreholes were performed in November 2018);
- 2. the restoration of the northeastern part of the landfill where trenches were performed.

## **Description of the activities**

Table 1: Project description and information

Project description	- Reparation of geomembrane at two					
	locations					
	- Characterization of the excavated waste					
	retrieved from the lower part of the landfill					
Address	Kiezel 300, 2450 Meerhout, Belgium					
Employees	5 - 20 employees					
Planning and duration of the activities	From 8 <sup>th</sup> to 10 <sup>th</sup> of April 2019					
Main contractor	Bentivec Piping nv					
Sub contractor	Aertssen nv					

## Reparation of the geomembrane at the location of two boreholes – 9/04/2019

The geomembrane was restored at the location of two boreholes (1W and 1E) by Benvitec nv (Fig. 1). The exact coordinates are listed in **Table 2**.






Figure 1: Location of the boreholes performed in November 2018. Capping restoration was only performed in the southern part (1W and 1E).



Table 2: Coordinates of the capping restoration points performed in the upper part of the landfill.

	Coordinate (Lambert 72)						
	x	у					
1W	197656.1868	199405.32					
1E	197721.6713	199375.078					

## Summary of waste sampling (trenches) and waste characterization activities

## 1. Location of the trenches

Seven trenches were performed along a profile (A  $\rightarrow$  B in Fig. 2) in the upper part of the landfill in order to investigate the waste composition. The profile started at the point A in **Figure 2** (coordinate x: 197712.626; y: 199516.3403) and ended at the point B in **Figure 2** (coordinate x: 197771.5366; y: 199528.4963). The exact coordinates of the seven trenches as well as their sizes are listed in **Table 3**.



Figure 2: Location of the profile AB where seven trenches were performed (northeastern part of the landfill).



Table 3: Trenches locations measured by GPS. The size of the trenches (L x W) are also reported in the table. The average depth of the trenches is 4 m.

No. trench	X-coordinate	Y-coordinate	Z-coordinate	Trench size (L x W)
1	197720.54	199515.70	31.00	5 m x 3.5 m
2	197734.88	199518.97	30.97	4 m x 2.5 m
3	197745.66	199522.06	31.31	3 m x 2.5 m
4	197751.00	199524.40	31.47	4 m x 2 m
5	197758.53	199526.80	31.70	4 m x 2 m
6	197768.55	199530.22	31.65	4 m x 2 m
7	197776.40	199532.79	31.36	4 m x 2 m

## 2. Action plan for the trenches

On the 8<sup>th</sup> of April 2019, seven trenches were created along the profile defined by point A and B (see **Table 2** for the location). The average depth of the trenches was 4 m and it was limited due to stability conditions. A description of the encountered soil and waste layers was performed by ABO and can be found in the **Appendix 1**. The full report with all the drilling and trial pit logs, sampling points and photographs of the whole operation is in **Annexe**<sup>1</sup>.

Per trench, a series of layers were kept apart for separation and valorization tests. **Table 4** summarizes the valorized layers per trench.

Table 4: Summary of the valorized layers per trench. The detailed description of the excavated waste can be found in Appendix 1.

No. trench	Valorized layers
1	<ul> <li>Layer 2 (soil fraction, inert and wood)</li> </ul>
	<ul> <li>Layer 3 (soil fraction)</li> </ul>
2	<ul> <li>Layer 2 (soil fraction and inert)</li> </ul>
	<ul> <li>Layer 3 (soil fraction and wood)</li> </ul>
3	<ul> <li>Layer 2 (soil fraction and inert – construction waste)</li> </ul>
	<ul> <li>Layer 3 (soil fraction and wood)</li> </ul>
4	No valorization possible
5	<ul> <li>Layer 2 (MSW, plastics and inert – construction waste)</li> </ul>
	<ul> <li>Layer 3 (soil fraction and wood)</li> </ul>
6	<ul> <li>Layers 2 and 3 (soil fraction, MSW, plastics, inert and</li> </ul>
	wood)
7	<ul> <li>Layers 2 and 3 (soil fraction, MSW, plastics, and wood)</li> </ul>

<sup>&</sup>lt;sup>1</sup> Only available in Dutch.



On the 10<sup>th</sup> of April 2019, the different fractions were brought into a shake sieve one by one. This sieve was equipped with a separating net of 50x50 mm. The smaller fraction, almost entirely consisting of soil, was automatically loaded onto transport and weighted on the balance of the civic amenity site on the landfill site. Afterwards this fraction was deposited again adjacent to the trenches. The fraction >50 mm, primarily consisting of debris and residual waste to a lesser extent was manually sorted out on traces of metals and plastics. These traces were weighed separately on a small balance. After this, the debris was loaded onto the transporter and weighed on the scale of the civic amenity site.

When asbestos was detected, an individual description was made of the asbestos containing sample. The results of the analysis of the reported weights can be found in **Appendix 2**.

## 3. Post sampling activities

After the characterization activities, the processed waste materials were redeposited in the trenches of origin according to the instructions of OVAM. This operation was allowed due to the fact that no hazardous waste or landfilled material in violation of the environmental permit was encountered. The plastics and residual waste were put in first, then the debris, then the soil fraction and finally the original top cover, also consisting of soil and vegetation.



# Appendix 1 - report of ABO.

) I	DIARY ENVIRO	DIMENTAL SUPERVISION ON CIVIL WORKS			NR	11
	WERF:	23796, OVAM, Supervision ELFM landfill IOK Meerhout, Kiezel 300 2450 Meerhout	DATE:		ma 08 ap	or 201
7	Aan	Opdrachtgever:		F	laming (tor	n)
		OVAM, Michaël Van Raemdonck, +32 491 72 04 87, michael.van.raemdonck@ovam.be				
•	CC	Aannemer:				
		Aertssen, Els de Leeuw, Projectleider, Els.deLeeuw@aertssen.be				
١	Van	EBSD/Milieukundige begeleider:		1		
		ABO nv, Koen Viaene, 0499/43.83.02, koen.viaene@abo-group.eu				
L		ABO nv, ing. Pedro D'Haese, 0499/99.82.01, pedro.dhaese@abo-group.eu				
	General infor		Company	Name, fur		
ľ	weather	Cloudy, grey	Aertssen	crane driv	/er	
	labours hrs	7u30-16u30	Aertssen	Els de Lee	uw, PL	
t	terrain	Locked	ABO	Pedro D'H	aese, MKB	
1	rain	-	OVAM	Michaël V	an Raemdo	onck
t	temperature	5°C	ULG	David Cat	herina	
-	11:30	Arrival of environmental coordinator on site (PDH).  Crane driver and crane are already on site.  Site exploration with the crane driver.  Start with excavation of 7 trenches  The XYZ location is taken by the crane driver  Writing of a description per trench  Taking pictures				
ŀ		Description of trenches per layer				
t	16:15	Environmental coordinator is leaving the site. (PDH).				
	Opmerkingen	VGM / toolboxmeeting / luchtmonitoring / incidenten	Actie door			
[	Onderwerp	Beschrijving	Actie door			
	date	works	Grondverzet			
	10/apr	sieving and weighing	deze periode	0,00	0,00	0,00
			vorige periodes	0,00	0,00	0,00
			Totaal (ton)	0.00	0.00	0,00



# Description of the trenches

no trench layer	depth (cm)	description	x	Y	Z
	1 0 to 5	grass, weeds, brown dirt	197720,54	199515,70	31,00
	2 5 to 45	sand, brown-black, traces of asbestos plate, much debry, much bricks, traces of wood, traces of ceramic tiles			
	3 45 to 85	sand, green-beige, traces of roots			
	4 85 to 280	silty sand, grey-black, some wood, traces of plastic foils, 1 car tyre, traces of debry			
1	5 280 to	traces of silty sand, primarily plastic foils, some metals, traces of PS, few PET bottles, faw hard plastics, much MSW.			
	1 0 to 5	grass, weeds, brown dirt	197734,88	199518,97	30,97
	2 5 to 90	sand, brown, traces of asbestos plate, much bricks, much debry			
	3 90 to 110	sand, black, much wood, few debry			
	4 110 to 200	silty sand, green-grey, traces of debry, traces of wood			
2	5 200 to 290	much plastic foils, some PET bottles, traces of glass, traces of rubber, traces of wood, few MSW			
	1 0 to 5	grass, weeds, brown dirt	197745,66	199522,06	31,31
	2 5 to 100	sand, brown, traces of rebars, much bricks, traces of asbestos plate, some large concrete chunks, some debry, some reinforced concrete			
	3 100 to 110	sand, black, some wood			
	4 110 to 240	silty sand, grey-green, traces of wood, traces of debry			
3	5 240 to	much plastic foils, few PET bottles, few MSW, traces of metal plating, traces of glass			
	1 0 to 5	grass, weeds, brown dirt	197751,00	199524,40	31,47
	2 5 to 110	sand, brown, much plastic foils			
	3 110 to 270	silty sand, grey-green, traces of debry			
4	4 270 to	much plastic foils, some PET bottles, few MSW, few wood			
	1 0 to 5	grass, weeds, brown dirt	197758,53	199526,80	31,70
	2 5 to 130	sand, brown, some plastic foils, few construction wood, some MSW, few PET bottles, traces of asbestos-like compounds, some bricks			
	3 130 to 150	sand; black, much wood			
	4 150 to 295	silty sand, green-grey, traces of wood			
5	5 295 to	much plastic foils, much MSW, traces of metal plate, few hard plastics, 1 cycle tyre, traces of bitumen			
			197768,55	199530,22	31,65
	1 0 to 5	grass, weeds, brown dirt			
	2 5 to 45	silty sand, beige-brown, traces of debry			
	3 45 to 155	some hard plastics, some plastic foils, few PET bottles, some MSW, few debry, few wood, few bricks			
	4 155 to 285	silty sand, grey-green			
6	5 285 to	much plastic foils, much MSW, traces of debry			
	1 0 to 5	grass, weeds, brown dirt	197776,40	199532,79	31,36
	2 5 to 40	sand, beige-green			
	3 40 to 130	much plastic foils, few PET bottles, few hard plastics, much MSW, few debry, some wood, few jute bags			
	4 130 to 260	silty sand, grey-brown			
7	5 260 to	sand, grey-black, few wood, much MSW, few metals, some plastic foils			



# **Appendix 2:**

## 2.1 Weight per fraction and presence of asbestos (in kg)

no. Trench	1		2		3		5		6	7
Layer	2	3	2	3	2	3	2	3	2+3	2+3
0-50 (soil)	12620	26600	8740	7440	9260	10200	6700	8260	7000	6300
> 50 (debris)	5860	4260	5860	2380	4880	2960	3440	2280	4340	4300
Asbestos	Yes, traces		Yes, traces		Yes, chunks		Yes, traces	Yes, traces		
Plastics/residual waste	0,140	1,000	0,100	90,500	11,000	3,000	12,000	0,500	2,600	4,100
Metals	0,145		0,100			2,150				
Wood/stumps	25,000	169,000	16,500	0,280		1,800	10,000	8,250		0,200

# 2.2 Weight per fraction and presence of asbestos (in %)

no. Trench	1		2		3		5		6	7
Layer	2	3	2	3	2	3	2	3	2+3	2+3
0-50 (soil)	68,197%	85,723%	59,795%	75,070%	65,437%	77,467%	65,932%	78,303%	61,714%	59,410%
> 50 (debris)	31,667%	13,729%	40,091%	24,014%	34,485%	22,481%	33,852%	21,614%	38,263%	40,550%
Asbestos	Yes, traces		Yes, traces		Yes, chunks		Yes, traces	Yes, traces		
Plastics/residual waste	0,001%	0,003%	0,001%	0,913%	0,078%	0,023%	0,118%	0,005%	0,023%	0,039%
Metals	0,001%		0,001%			0,016%				
Wood/stumps	0,135%	0,545%	0,113%	0,003%		0,014%	0,098%	0,078%		0,002%



## **Contact**

Feel free to contact us.

## **Local contact details:**

**BELGIUM** ATRASOL renaud.derijdt@atrasol.eu

Cleantech Flanders / VITO alain.ducheyne@vito.be

OVAM ewille@ovam.be
SPAQuE c.neculau@spaque.be
Université de Liège f.nguyen@ulg.ac.be

FRANCE SAS Les Champs Jouault champsjouault@gmail.com

GERMANYBAVpbv@bavmail.deTHE UKNERCjecha@bgs.ac.uk

## **Coordination office:**

**BELGIUM** SPAQuE c.neculau@spaque.be

Boulevard Maurice Destenay 13

4000 Liège