

DELIVERABLE T3.3.1

D.T3.3.1 – Pilot actions preparation

06/2018





D.T3.3.1: Pilot actions preparation

A.T3.3 Preparation and procurement of pilot actions

Issued by: Partner Nr. 05

Date: Jun 2018

Authors		
	Name (organization)	Name, e-mail
WP leader	Mazovia Energy Agency (MAE), PP5	Aleksandra Luks, a.luks@mae.com.pl
Contributing participants	Regional Energy Agency North (REAN) (PP4) City of Koprivnica (CoK) (PP9)	Boris Kuharić, boris.kuharic@rea-sjever.hr Damir Mandić, damir.mandic@rea-sjever.hr Zvonimir Perko, zvonimir.perko@rea-sjever.hr Maja Balaško, maja.balasko@koprivnica.hr



1. Introduction and aims

This deliverable is a kind of pre-investment report, which contains all information and data about buildings that allow for a description of the condition of the buildings and the pilot action.

Conducting research and analysis of selected buildings as pilot actions is necessary to ensure the identification of energy-related problem areas. Data collected from building owners given in the chapters below determine the current state of the facilities. It also provides the information needed to specify the energy profile of the buildings. In addition, it defines the measures and actions that were taken to implement the pilot action.

The aim of the document is presentation of plan preparatory activities to investment for the PA. This document describes activities as part of the tasks undertaken for each pilot action.

PILOT ACTION - PA6. EE with OnePlace platform in a kindergarten of Koprivnica (HR)

2. Description of the PA building(s)

The description of the building provides basic building and administrative information. It allows to determine the location and the prevailing geographical conditions, the surroundings of the building. In addition, construction data is an example for similar construction solutions.

Type of building: Kindergarten

Owner: City of Koprivnica

Year of construction: 1982

Year of use (if different from year of construction): -

Gross building area [m²]: 1 035,46

Building volume [m³]: 3 037,00

Building envelope total surface area [m²]: 2 481,00

Shape factor (A/V ratio) [m⁻¹]: 0,82

The shape factor A/V is the ratio of the total surface area of all external walls (including windows and doors), roofs, floors on the ground or ceilings over the unheated basement, ceilings above the crossings, separating the heated part of the building from outside air to the volume of the heated part of the building, increased by the volume of heated rooms in the utility attic or in the basement and reduced by the volume of separate staircases, elevator shafts, open recesses, loggias and galleries.

It is best if the building shape factor is as low as possible. This means that the building should be as compact as possible, similar in shape to a sphere or cube, that is, solids characterized by the lowest A/V ratio. Considering energy consumption, a building with a high A/V ratio "consumes" more energy.

Typology (number of floors): 2 – basement + ground floor

Number of building users: 200

Location: Ivana Generalica street 4, Koprivnica

Available technical documentation: Yes No

Technical drawings

Year:

Report on the technical inspection of energy installations

Year:

Energy audit

Year:

General, technical review of the building

Year:

Technical drawings

Year:



*Figure 1: PA6. EE with OnePlace platform in a kindergarten of Koprivnica (HR)
Source: internal (mobile phone photos by Damir Mandic)*




Figure 2: Typology of the building available for the PA6. EE with OnePlace platform in a kindergarten of Koprivnica (HR) (source: City of Koprivnica)

3. Energy PA building(s) profile

Collecting energy data allows to determine the energy profile of the building. It provides information on the insulation of external partitions and the condition of energy systems (heating/cooling, ventilation, electricity, hot water preparation) in buildings.

3.1. External partitions

The technical and construction status of the building envelope influences significantly the heat loss to the environment. The used construction and thermal insulation material is important. In order to improve standards, a norm, regulation is established for each partition in each country. For existing buildings in the case of low insulation, it is recommended to carry out thermo-modernization.

3.1.1. External walls

Walls total surface area [m²]: 416,00



Envelope material (different layers):


No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for external wall [W/m ² K]	Defined heat transfer coefficient for external wall (according to the norm, national regulations) [W/m ² K] ¹
WALL 1					
1	Lime- cement plaster	0,02	1,00	0,83	0,30
2	Brick block	0,25	0,420		
3	Thermo plaster	0,05	0,111		
WALL 2					
1	Lime- cement plaster	0,02	1,00	0,74	0,30
2	Brick block	0,25	0,420		
3	Thermo plaster	0,05	0,111		
4	Façade brick	0,12	0,830		
WALL 3					
1	Gypsum cardboard	0,012	0,250	0,35	0,30
2	OSB board	0,01	0,130		
3	PE foil	0,002	0,600		
4	Rock wool	0,08	0,035		
5	OSB board	0,01	0,130		
6	EPS	0,02	0,037		
7	Acrylic plaster	0,003	0,900		
WALL 4					
1	Gypsum cardboard	0,012	0,250	0,33	0,30
2	OSB board	0,01	0,130		
3	PE foil	0,002	0,600		
4	Rock wool	0,08	0,035		
5	OSB board	0,01	0,130		
6	EPS	0,02	0,037		
7	Acrylic plaster	0,003	0,900		
8	Façade brick	0,12	0,830		

¹ If there are more U coefficients than one in your country, exchange all of them with the division, what they mean (e.g. recommended, required etc.)


3.1.2. Roof

Type of roof:


Flat roof




Pent roof




Gable roof




Hip roof




Multi-hip roof




Tented roof



Half-hipped roof



Mansard roof



Roof slope [°]: 17 in direction: S

Roof total surface area [m²]: 949,00

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for roof [W/m ² K]	Defined heat transfer coefficient for roof (according to the norm, national regulations) [W/m ² K]
1	Wooden board	0,025	0,130	Not part of the heating zone	0,25
2	Roof foil	0,002	0,200		
3	Roof tile	0,03	1,00		

3.1.3. Ground floor

Floor total surface area [m²]: 949,00

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for floor [W/m ² K]	Defined heat transfer coefficient for floor (according to the norm, national regulations) [W/m ² K]
1	Wooden floor	0,02	0,130	1,23	0,40
2	Cement glazing	0,04	1,60		
3	PVC foil	0,002	0,200		
4	EPS	0,04	0,037		
5	PVC foil	0,002	0,200		
6	Hydro insulation	0,01	0,230		
7	Reinforced	0,15	2,60		



	concrete slab				
--	---------------	--	--	--	--

3.1.4. Basement ceiling (if the building has a basement)

Total surface area [m²]: 83,83 m²

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for floor [W/m ² K]	Defined heat transfer coefficient for floor (according to the norm, national regulations) [W/m ² K]
1	Wooden floor	0,02	0,130	1,23	0,40
2	Cement glazing	0,04	1,60		
3	PVC foil	0,002	0,200		
4	EPS	0,04	0,037		
5	PVC foil	0,002	0,200		
6	FERT strop	0,2	3,02		
7	Lime- cement plaster	0,02	1,00		

Basement

Is the basement heated ? Yes No

Basement walls total surface area [m²]: 81,12

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for external wall [W/m ² K]	Defined heat transfer coefficient for external wall (according to the norm, national regulations) [W/m ² K]
1	Brick block	0,30	0,420	1,26	0,30

3.1.5. Windows

Type:

- single window, single glazed
- combined window, double glazed
- combined window, three panes
- single-frame window, double low-emission glass, argon chamber
- single-frame window, three glass panes, two (external) glasses are made of ordinary glass, and the inner glass of low-emission glass, the chambers between the glasses are filled with argon
- single-frame window, three glass panes, all glasses are made of low-emission glass, the chambers between the glasses are filled with argon
- other (what ?).....single window with 2xsingle glaze.....

Shading (sun protection):

- curtains
- roller shutters
- wooden shutters
- internal blinds



BOOSTEE-CE

- awnings
- other (what ?)

Material (PVC, wood, aluminum, wood-aluminum): Wood
Number of windows: 58
Windows total surface area [m²]: 118,40
Diffusers in windows (YES or NO): NO
Heat transfer coefficient [W/m²K]: 3,6
Defined heat transfer coefficient (according to the norm, national regulations) [W/m²K]: 1,6

3.1.6. Doors

Material (wood, aluminum, PVC etc.): Wood
Number of doors: 18
Doors total surface area [m²]: 51,00
Heat transfer coefficient [W/m²K]: 3,6
Defined heat transfer coefficient (according to the norm, national regulations) [W/m²K]: 2,0

3.2. Systems energy data

High efficiency of energy systems and the type of energy source determines its consumption. Also important is the issue of installed control and control systems that help ensure optimal thermal conditions.

Energy parameters characterizing the building:

Total non renewable primary energy demand [kWh/year]: no data
Energy consumption (heating) [kWh/year]: 107 904,00
Efficiency of the heating system [%]: no data
Energy consumption (hot water preparation) [kWh/year]: no data
Efficiency of the hot water preparation system [%]: no data
Energy consumption (cooling) [GJ/year or kWh/year]: no cooling system
Type of energy source (gas boiler, coal boiler, electricity, municipal heating network, biomass boiler, cogeneration, RES etc.): gas boiler

Regulation and control of systems in the building:

- thermostatic valves
- heat dividers
- motion sensors
- electricity meters
- water meters
- other (what ?).....

Annual fuel consumption [kg or m³ or kWh or GJ]: 18 376,00 m³
Electricity consumption [kWh/year]: 43 066,00
Ordered power [MW]: no data
Lighting type (traditional incandescent lamps; halogen bulbs; fluorescent lamps; LED lamps): fluorescent lamps
Power of light bulbs [W]: 7 710
Number of lighting points: 208
Ventilation type (according to the table 1): natural ventilation



Ventilation type	Short description
Natural ventilation	based on natural processes occurring in the environment (using gravity)
Mechanical (forced) ventilation	air exchange is due to the operation of an electric motor driven ventilator. Using the mechanism gives us the ability to control the system
Mechanical ventilation with heat recovery	operates on the principle of mechanical ventilation extended by a recuperator responsible for the recovery of heat from exhaust air from the building
Hybrid ventilation	combination of natural and mechanical ventilation. This system works alternately depending on atmospheric conditions, using natural forces due to the difference in temperature and external air movement (wind) and the mechanics of the fan in the ventilation duct improving the ventilation conditions in case of need
Mixing (blasting) ventilation	based on mixing the contaminated air in the building with clean air and expelling it out. Fresh air flows through the air diffuser system
Displacement ventilation	based on the separation of the two zones (the lower zone to about 1.1 m (sitting position) or the 1.8 m (standing position) and the upper part) in which the different characteristics of the air will be felt

Table 1: Description of type ventilation.

Building energy profile

The energy consumption in construction is distinguished by three types of energy - primary energy (EP), final energy (EK) and utility energy (EU). Primary energy refers to the energy contained in sources, including fuels and carriers, necessary to cover the final energy demand, taking into account the efficiency of the entire chain of acquisition, conversion and transport to the end user. A concept that is important from the point of view of a sustainable development strategy. The ratio of non-renewable primary energy inputs to the generation and delivery of an energy or energy carrier for technical systems is the difference between primary energy and final energy. The final energy is heat and auxiliary energy, which must be delivered to the boundary of the heating system (building) with a given efficiency in order to cover the energy demand for heating and ventilation of rooms. A concept that is important from the point of view of the building's user who incurs costs related to the operation of the building. The efficiency of the system is a conversion of final energy into utility energy. The utility energy concerns energy for heating and ventilation as well as for preparing domestic hot water, regardless of the type and efficiency of the heating device. A concept that is important from the designer's point of view, characterizing thermal insulation and building tightness. The concepts are presented below.

$$EU \xrightarrow{\eta} EK \xrightarrow{w_i} EP$$

Annual demand for non renewable primary energy EP [kWh/m²/year]

Non renewable primary energy demand for heating	Non renewable primary energy demand for cooling	Non renewable primary energy demand for ventilation	Non renewable primary energy demand for preparation of hot water	Non renewable primary energy demand for electricity	Sum (1+2+3+4+5)
1	2	3	4	5	6
No data	-	-	No data	No data	No data



Annual final energy demand EK [kWh/m²/year]

Final energy demand for heating	Final energy demand for cooling	Final energy demand for ventilation	Final energy demand for preparation of hot water	Final energy demand for electricity	Sum (1+2+3+4+5)
1	2	3	4	5	6
No data	-	-	No data	No data	No data

Annual utility energy demand EU [kWh/m²/year]

Utility energy demand for heating	Utility energy demand for cooling	Utility energy demand for ventilation	Utility energy demand for preparation of hot water	Utility energy demand for electricity	Sum (1+2+3+4)
1	2	3	4	5	6
No data	-	-	No data		No data

Energy class of the building (according to the table 2): D average energy-intensive building

The EU indicator is a building quality indicator. In general, the smaller the EU, the less energy we lose through the outer baffles of the building. It refers to the energy which is consumed and goes from the building's heating system to the individual rooms, and the heat loss (through penetration and ventilation) to the environment. The EU indicator value in the table below includes only heating/cooling.

Energy class	Energy assessment	EU indicator [kWh/m ² /year]
A++	zero-energy building	≤ 10
A+	passive building	up to 15
A	low-energy building	from 15 to 45
B	energy-saving building	from 45 to 80
C	average energy efficient building	from 80 to 100
D	average energy-intensive building	from 100 to 150
E	energy-consuming building	from 150 to 250
F	high-energy consuming building	over 250

Table 2: Building energy class (source: Association for Sustainable Development).

Electricity price [in your own currency: CZK or EUR or HRK or HUF or PLN]

Fixed fee [per MW-month]: no fee

Variable fee [per kWh]: 1,56 HRK

Subscription [per month]: 51,63 HRK

Energy (heating) price [in your own currency: CZK or EUR or HRK or HUF or PLN]

Fixed fee [per MW-month]: no fee

Variable fee [per GJ]: 63,06 HRK

Subscription [per month]: 50,00 HRK

Summary and evaluation of the energy building status

The overall condition of the building is poor. The external partitions such as external walls, floor, windows and doors do not meet the technical requirements in terms of the value of heat transfer coefficient.

The building's energy system includes only the heating system, the hot water preparation system and the power system. The building uses annually 150 970 kWh, 71% of which is for heating. The energy class classifies it as an average energy-intensive building.

The building is not equipped with cooling systems and ventilation is done through windows and ventilation ducts.




Figure 3: Energy consumption balance of the building for the PA6. EE with OnePlace platform in a kindergarten of Koprivnica (HR).

PILOT ACTION - PA6. EE with OnePlace platform in a Primary school Braca Radic in Koprivnica (HR)

2. Description of the PA building(s)

The description of the building provides basic building and administrative information. It allows to determine the location and the prevailing geographical conditions, the surroundings of the building. In addition, construction data is an example for similar construction solutions.

Type of building: Primary school

Owner: City of Koprivnica

Year of construction: 1989

Year of use (if different from year of construction): -

Gross building area [m²]: 6 681,31

Building volume [m³]: 15 540,00

Building envelope total surface area [m²]: 7 955,69

Shape factor (A/V ratio) [m⁻¹]: 0,51

The shape factor A/V is the ratio of the total surface area of all external walls (including windows and doors), roofs, floors on the ground or ceilings over the unheated basement, ceilings above the crossings, separating the heated part of the building from outside air to the volume of the heated part of the building,

increased by the volume of heated rooms in the utility attic or in the basement and reduced by the volume of separate staircases, elevator shafts, open recesses, loggias and galleries.

It is best if the building shape factor is as low as possible. This means that the building should be as compact as possible, similar in shape to a sphere or cube, that is, solids characterized by the lowest A/V ratio. Considering energy consumption, a building with a high A/V ratio "consumes" more energy.

Typology (number of floors): 3 – ground floor + first floor + attic

Number of building users: 894

Location: Miklinovec 6a street, Koprivnica

Available technical documentation: Yes No

Building project for thermo-modernization of the building Year:

Energy audit Year:

Building project for thermo-modernization of the building Year:



Figure 4: PA6. EE with OnePlace platform in a Primary school in Koprivnica (HR)

Source: <https://epodravina.hr/> (local news portal)




Figure 5: Typology of the building available for the PA6. EE with OnePlace platform in a Primary school in Koprivnica (HR)) (source: City of Koprivnica)

3. Energy PA building(s) profile

Collecting energy data allows to determine the energy profile of the building. It provides information on the insulation of external partitions and the condition of energy systems (heating/cooling, ventilation, electricity, hot water preparation) in buildings.

3.1. External partitions

The technical and construction status of the building envelope influences significantly the heat loss to the environment. The used construction and thermal insulation material is important. In order to improve standards, a norm, regulation is established for each partition in each country. For existing buildings in the case of low insulation, it is recommended to carry out thermo-modernization.

3.1.1. External walls

Walls total surface area [m²]: 416,00 m²


Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for external wall [W/m ² K]	Defined heat transfer coefficient for external wall (according to the norm, national regulations) [W/m ² K] ²
WALL 1					
1	Lime- cement plaster	0,02	1,00	1,24	0,30
2	Brick block	0,29	0,420		
3	Thermo plaster	0,05	0,111		
WALL 2					
1	Lime- cement plaster	0,02	1,00	0,66	0,30
2	Reinforced concrete	0,30	2,60		
3	EPS	0,05	0,037		
4	Silicate plaster	0,002	0,900		


3.1.2. Roof

Type of roof:


Flat roof




Pent roof




Gable roof




Hip roof




Multi-hip roof




Tented roof



Half-hipped roof



Mansard roof



Roof slope [°]: 20 in direction: S

Roof total surface area [m²]: 3 235,00

² If there are more U coefficients than one in your country, exchange all of them with the division, what they mean (e.g. recommended, required etc.)



Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for roof [W/m ² K]	Defined heat transfer coefficient for roof (according to the norm, national regulations) [W/m ² K]
1	Wooden board	0,024	0,130	0,48	0,25
2	Mineral wool	0,05	0,037		
3	Air pocket	0,07	-		
4	Wooden board	0,024	0,130		
5	Air pocket	0,08	-		
6	Roof tile	0,03	1,00		

3.1.3. Ground floor

Floor total surface area [m²]: 2 837,90

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for floor [W/m ² K]	Defined heat transfer coefficient for floor (according to the norm, national regulations) [W/m ² K]
1	Wooden floor	0,02	0,130	0,68	0,40
2	Cement glazing	0,02	1,60		
3	Reinforced concrete slab	0,10	2,60		
4	EPS	0,05	0,042		
5	PVC foil	0,002	0,200		
6	Hydro insulation	0,01	0,230		
7	Reinforced concrete slab	0,10	2,60		

3.1.4. Basement ceiling (if the building has a basement) – there's no basement

Total surface area [m²]:

Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for floor [W/m ² K]	Defined heat transfer coefficient for floor (according to the norm, national regulations) [W/m ² K]
1					

Basement (there is no basement)

Is the basement heated? Yes No

Basement walls total surface area [m²]:



Envelope material (different layers):

No.	Material	Thickness [m]	Thermal conductivity [W/mK]	Heat transfer coefficient for external wall [W/m ² K]	Defined heat transfer coefficient for external wall (according to the norm, national regulations) [W/m ² K]
1					

3.1.5. Windows

Type:

- single window, single glazed
- combined window, double glazed
- combined window, three panes
- single-frame window, double low-emission glass, argon chamber
- single-frame window, three glass panes, two (external) glasses are made of ordinary glass, and the inner glass of low-emission glass, the chambers between the glasses are filled with argon
- single-frame window, three glass panes, all glasses are made of low-emission glass, the chambers between the glasses are filled with argon
- other (what ?).....

Shading (sun protection): no shading

- curtains
- roller shutters
- wooden shutters
- internal blinds
- awnings
- other (what ?)

Material (PVC, wood, aluminum, wood-aluminum): PVC

Number of windows: 284

Windows total surface area [m²]: 714,39

Diffusers in windows (YES or NO): NO

Heat transfer coefficient [W/m²K]: 1,4/1,1

Defined heat transfer coefficient (according to the norm, national regulations) [W/m²K]: 1,6

Thermo-modernization (if carried out)

Year: 2013/2015

Type of windows: single-frame window, double low-emission glass/ three glass panes, argon chamber

Material: PVC

Number of windows (if all windows are not replaced on the new ones): 284

Windows total surface area [m²]: 714,39

Diffusers in windows (YES or NO): NO

Heat transfer coefficient [W/m²K]: 1,4/1,1

3.1.6. Doors

Material (wood, aluminum, PVC etc.): PVC



Number of doors: 16

Doors total surface area [m²]: 73,38

Heat transfer coefficient [W/m²K]: 1,1/1,4

Defined heat transfer coefficient (according to the norm, national regulations) [W/m²K]: 2,0

Thermo-modernization (if carried out)

Year: 2015

Material: PVC

Number of doors (if all doors are not replaced on the new ones): 16

Doors total surface area [m²]: 73,38

Heat transfer coefficient [W/m²K]: 1,1/1,4

3.2. Systems energy data

High efficiency of energy systems and the type of energy source determines its consumption. Also important is the issue of installed control and control systems that help ensure optimal thermal conditions.

Energy parameters characterizing the building:

Total non renewable primary energy demand [kWh/year]: no data

Energy consumption (heating) [kWh/year]: 214 527,60

Efficiency of the heating system [%]: no data

Energy consumption (hot water preparation) [kWh/year]: no data

Efficiency of the hot water preparation system [%]: no data

Energy consumption (cooling) [kWh/year]: 88 588,48

Type of energy source (gas boiler, coal boiler, electricity, municipal heating network, biomass boiler, cogeneration, RES etc.): gas boiler

Regulation and control of systems in the building:

- thermostatic valves
- heat dividers
- motion sensors
- electricity meters
- water meters
- other (what ?).....

Annual fuel consumption [kg or m³ or kWh or GJ]: 29 457,96 m³

Electricity consumption [kWh/year]: 135 721,00

Ordered power [MW]: no data

Lighting type (traditional incandescent lamps; halogen bulbs; fluorescent lamps; LED lamps): fluorescent lamps

Power of light bulbs [W]: 35 020

Number of lighting points: 517

Ventilation type (according to the table 1): natural ventilation



Building energy profile

Annual demand for non renewable primary energy EP [kWh/m²/year]

Non renewable primary energy demand for heating	Non renewable primary energy demand for cooling	Non renewable primary energy demand for ventilation	Non renewable primary energy demand for preparation of hot water	Non renewable primary energy demand for electricity	Sum (1+2+3+4+5)
1	2	3	4	5	6
No data	No data	-	No data	No data	No data

Annual final energy demand EK [kWh/m²/year]

Final energy demand for heating	Final energy demand for cooling	Final energy demand for ventilation	Final energy demand for preparation of hot water	Final energy demand for electricity	Sum (1+2+3+4+5)
1	2	3	4	5	6
No data	No data	-	No data	No data	No data

Annual utility energy demand EU [kWh/m²/year]

Utility energy demand for heating	Utility energy demand for cooling	Utility energy demand for ventilation	Utility energy demand for preparation of hot water	Utility energy demand for electricity	Sum (1+2+3+4)
1	2	3	4	5	6
No data	No data	-	No data		No data

Energy class of the building (according to the table 2): C average energy efficient building

The EU indicator is a building quality indicator. In general, the smaller the EU, the less energy we lose through the outer baffles of the building. It refers to the energy which is consumed and goes from the building's heating system to the individual rooms, and the heat loss (through penetration and ventilation) to the environment. The EU indicator value in the table below includes only heating/cooling.

Electricity price [in your own currency: CZK or EUR or HRK or HUF or PLN]

Fixed fee [per MW-month]: no fee
Variable fee [per kWh]: 1,56 HRK
Subscription [per month]: 51,63 HRK

Energy (heating) price [in your own currency: CZK or EUR or HRK or HUF or PLN]

Fixed fee [per MW-month]: no fee
Variable fee [per GJ]: 63,06 HRK
Subscription [per month]: 50,00 HRK

Summary and evaluation of the energy building status

The general condition of the building is bad. Some external partitions such as external walls, roof, floor do not meet the technical requirements in terms of the value of heat transfer coefficient. The building is after thermo-modernization in 2013 and 2015 involving the replacement of window and door joinery. The modernization caused that windows and doors are characterized by low heat transfer coefficient consistent with the legal regulations.



The building's energy system includes the heating system, the hot water preparation system, the cooling system and the power system. In total, the building uses annually 438 837,08 kWh, 49% of which is for heating and hot water despite installed thermostatic valves. However, considering the large area and volume of the building, the energy class classifies it as an average energy efficient building. The ventilation is done through windows and ventilation ducts.




Figure 6: Energy consumption balance of the building for the PA6. EE with OnePlace platform in a Primary school in Koprivnica (HR)

4. Definition of the required resources to run the investment

This chapter describes the measures and activities that were implemented to start the investment in the appropriate order and assign a time schedule and costs. These are only preparatory activities to undertake investment.

The steps that were taken in order to prepare an investment or to carry out other activities are presented in the appropriate order.

PA6						
No.	Preparatory work	Preparatory work description	Time schedule	Cost (EUR)	Market research	Selected external expert
1	Meetings with management people in the selected building	Investment description and finalizing the needs of the building	February 2018	-	DONE	-
2	Data collection	Existing condition review and conversation with the user	February 2018	-	DONE	-
3	Defining the smart metering system possibilities	Research and comparison of the various smart metering systems	March 2018	-	DONE	-
4	Linking needs with the	Searching for the cost	April 2018	-	DONE	-



	possibilities considering financial frame	optimal solution and calculations				
5	Definition of the procurement subject and final preparation for the public procurement	Description of the procurement subject with detailed technical data and making final adjustments for the public procurement	April/May 2018	-	DONE	-
6	Public procurement procedures to engage contractor and selection of the contractor (equipment included)	Administrative and legal work regarding public procurement and selection of the contractor	May 2018	-	IN PROGRESS	-

Table 3: Time schedule and cost estimate of preparatory activities in the PA6. EE with OnePlace platform in a kindergarten of Koprivnica and Primary School Braca Radic (HR).

Table 4 shows the time periods for the investment preparation period, implementation of activities and subsequent monitoring and evaluation of results. All works must take place before August 2019.

Month	2018												2019												2020						
	Jan	Feb	Mar	April	May	Jun	July	Aug	Sept	Oct	Nov	Dec	Jan	Feb	Mar	April	May	Jun	July	Aug	Sep	Oct	Nov	Dec	Jan	Feb	Mar	April	May		
Project month	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36		
PA6	Yellow	Blue	Blue	Blue	Blue	Green	Purple	Light Blue										Red													

Table 4: PA6 Activities plan.

start of WPT3	PA preparations	PA implementation	PA monitoring/evaluation	end of PA	end of WPT3
---------------	-----------------	-------------------	--------------------------	-----------	-------------

Explanation:

PA preparations – A set of activities that are used to initiate the right investment, such as the selection of experts, contractors, collecting data and information, and other administrative work.

PA implementation – A set of activities like installation of equipment, systems, implementation of the OnePlace platform, promotional activities.

PA monitoring/evaluation – Checking whether the expected results are received.



5. Definition of problems in the implementation of PA

Each investment may encounter barriers of a financial, administrative, organizational or substantive nature. Therefore, it is important to define possible problems that may arise when investing in energy efficiency.

Problems (with expected delays): No problems so far

6. Conclusions

Energy data and administrative description of the building are valuable and necessary information when developing energy audits and conducting investments aimed at improving energy efficiency. Subsequent implementation of pilot project areas will be based on the presented data and will be described in the next reports (D.T3.1.7, D.T3.2.1 and D.T3.2.2).