



III WORKSHOP APTITUDE PAMPLONA

**Since the frailty concept
towards intrinsic capacity
measure**

Cristina Alonso Bouzón
Deputy coordinator ADVANTAGE JA
Hospital Universitario de Getafe (Madrid)



aptitude

ACTUAR PARA LA PREVENCIÓN
TRANSPIRENAICA DE LA DEPENDENCIA
DE LAS PERSONAS MAYORES


**Interreg
POCTEFA**




Index

- Introduction: healthy aging
- Functional ability
- Intrinsic capacity
- Frailty
- Intrinsic capacity and frailty
- Key messages

Good health does not mean a positive disease-free state



BMJ. 2011;343:d6553. *JAMA.* 1997;277:728-734. *J Epidemiol Community Health.* 2014;68:703-704. *J Am Med Dir Assoc.* 2016; 17(10):949-55. *Lancet.* 2015;385:e7-9. *Lancet.* 2015;385:563-575. *Lancet.* 2015;385:658-661. *Maturitas.* 2014 Aug;78(4):329-34. *Rejuvenation research.* 2008;11:829-836. *Atención Primaria.* 2010;42:388-393 . *Rev Esp Geriatr Gerontol.* 2014 Mar-Apr;49(2):51-8. SEMEG, 2001. OMS 2002, 2009, 2015.



- Healthy Aging: the process of developing and maintaining the functional ability that enables well-being in older. (WHO 2015)

Functional Ability: The health-related attributes that enable people to be and to do what they have reason to value (WHO 2015)

Good health means that the person is being able to do things that they value.

► WHAT INFLUENCES HEALTH IN OLDER AGE

INDIVIDUAL



ENVIRONMENT THEY LIVE IN




Assistive technologies




Housing
Assistive technologies
Transport
Social facilities

Fig. 2.1. *Healthy Ageing*



- Health characteristics**
- Underlying age-related trends
 - Health-related behaviours, traits and skills
 - Physiological changes and risk factors
 - Diseases and injuries
 - Changes to homeostasis
 - Broader geriatric syndromes



Core Domains of Intrinsic Capacity (IC)




FIG. 4. KEY DOMAINS OF INTRINSIC CAPACITY






Fig. 3.16. Changes in intrinsic capacity across the life course



Note: Data on physical and mental capacities were derived from the WHO Study on global AGEing and adult health (SAGE) 2007–2010 (wave 1) (34) and then a vector of capacity was developed. Higher scores indicate higher intrinsic capacity.

Cuadro de Salud Pública para el Envejecimiento Saludable





ACTUAR PARA LA PREVENCIÓN
TRANSPIRENAICA DE LA DEPENDENCIA
DE LAS PERSONAS MAYORES

INDEPENDENT-ROBUST



DEPENDENT-DISABLED



Progressive loss of responsiveness to stressors






Fig 1. Models of frailty

Fried LP




Rockwood K



Rockwood K. J Am Geriat Soc. 2006;54:975-979

Fried et al. J Gerontol Med Sci. 2001;56A:M146-M156

Frailty: a Complex Syndrome of Increased Vulnerability




Frailty in the clinical scenario

The aim of health care has changed substantially—after centuries of trying to live longer, the time for living better has come. This change in focus has two main

*Leocadio Rodriguez-Mañas, Linda P Fried
Lancet, March 2015


FRAILTY SYNDROME

Progressive loss of responsiveness to stressors



*Ferrucci et al., 2002; Gill, Gahbauer, Allore, & Han, 2006; Strandberg & Pitkala, 2007;
Xue, 2011; Pahor et al., 2014, Rodriguez-Mañas & LP Fried., 2015*


Frailty / Intrinsic Capacity



Health-care costs 2012: Medicare


(n=6.112.450) 10% Higher cost

Fragilidad: Trastorno marcha, Malnutrición, Cauquexia, Debilidad, Deterioro funcional, caídas, sarcopenia, úlceras por presión, senilidad, equipo sanitario largo plazo



Joint KE. BMC Healthcare 2017; 5: 62-7

Healthcare costs 2012: Medicare (n=6.112.450)



Figueroa JF. Ann Intern Med 2017; 167: 706-13

ADVANTAGE JOINT ACTION



2017 a 2019


Co-financed by
EEMM &
UE PSP 2014-2020

22 EEMM
Coordinated by Spain



Horizon 2020
European Union funding
for Research & Innovation

Implementation process



Horizon 2020
European Union funding
for Research & Innovation

Key messages

- Intrinsic capacity and frailty are not the same
- Intrinsic capacity is a young concept. It is under development.
- Instead IC, clinicians have been used functional ability (CGA)
- Frailty is a specific condition: marker of risk and reversible.
- Frailty is key to prevent disability in old age.



ACTUAR PARA LA PREVENCIÓN
TRANSPIRENAICA DE LA DEPENDENCIA
DE LAS PERSONAS MAYORES



UNIÓN EUROPEA
UNION EUROPÉENNE

¡Gracias! / Merci!

Cristina Alonso

calonsob@salud.madrid.org

www.aptitude-net.com

aptitude@navarra.es



SAMS SERVEI ANDORRA
D'ATENCIÓ SANITÀRIA

OCCITANIE
Equipe Régionale Veillissement
Et Prévention de la Dépendance
ARS Occitanie



upna
Universidad Pública de Navarra
Nafarroako Unibertsitate Publikoa

NAVARRABIOMED
Centro de Investigación Biomédica

